

PRODUCT GUIDE

Residential & Commercial

Premier Unit Heaters



Improved Performance and Serviceability


ADP Unit Heaters are engineered for maximum efficiency, increased reliability, and peak performance. Each unit is newly designed for simplified installation with enhanced features. Our patented heat exchanger minimizes air resistance to allow for even heating, reducing stress on the heat exchanger for increased durability. ADP Unit Heaters are the ideal choice for a wide range of commercial and residential applications.



Patented Heat Exchanger	Up to 85% thermal efficiency on LP models to deliver comfort with maximum efficiency	
Ultimate Sound Quality	30% quieter than previous models providing an undistracted environment	
180° Installation Capability	Flexible installation options for residential applications that benefit the technician	
Self-Diagnostic DSI Control Board	Featuring an LED display improving troubleshooting efficiency and accuracy	
30,000 – 400,000 BTU/h Capacity	Meeting a wide range of commercial and residential application requirements	
2-Stage Operation	Improved efficiency and system cycle reduction (UHCM 250-400 models)	



Designed to Meet All of Your Heating Needs



- 1. Dimpled Tubular Heat
 Exchanger improves efficiency
 and increase durability
- DSI Control Board offers many diagnostic codes to speed up installation and diagnostics
- **3. Removable Thermostat** and Power Connections for speed of installation
- **4. Flame Rollout Switches** improve safety

- 5. Flame Sensor
- 6. Burner Cluster
- 7. Gas Manifold
- 8. 24V Transformer
- **9. Direct Spark Igniter** improves operation and efficiency
- **10. Pressure Switch** verifies flue pipe is clear for safe operation
- 11. 24V Gas Valve with 100% safety shut off

- 12. Primary Limit Switch
- 13. Combustion Air Inducer
- 14. Gas Inlet
- 15. Flue Outlet
- 16. Field Power Connection
- 17. Fan Motor
- 18. Capacitor

THE ADP ADVANTAGE

FLEXIBILITY ADP provides solutions for all your residential and commercial heating needs.

QUALITY Every unit heater is run tested with complete cycles of startup and shut down prior to shipping.

SERVICE ADP unit heaters are made for seamless installation and easy access.

ENERGY Natural gas and propane models available to meet your needs.

WARRANTY Commercial unit heaters feature a 2-year limited warranty on parts, 15-year limited warranty

on stainless steel heat exchanger, and 10-year limited warranty on aluminized heat exchanger. Residential unit heaters feature a 2-year limited warranty on parts and a 10-year limited

warranty on aluminized heat exchanger.



NOMENCLATURE

UH	RS	45	Ν	А	1
Product Line	Application	Nominal Gas Heat Input	Fuel Type	Heat Exchanger	Design Revision
UH: Unit Heater	RS: Residential CM: Commercial	RS: 30, 45, 60, 75, 90, 105 CM: 125, 150, 175, 200, 250, 300, 350, 400	N: Natural Gas P: Propane	A: Aluminized Steel S: Stainless Steel * Stainless Steel only available for CM models.	Blank: None 1: Revision

ADDITIONAL FEATURES



Power exhaust allows heaters to be vented vertically or horizontally



Hinged Access Door for easy access servicing



Direct drive propeller fans are dynamically balanced for quiet and smooth operation



DSI Control Board designed for easy servicing



Patented Tubular Heat Exchanger provides resistance to corrosion and oxidation



Direct Spark Igniter improving operation and efficiency

Proudly distributed by:

2175 West Park Place Boulevard Stone Mountain, Georgia 30087

